

# **Southwell Schools' Shared Calculation Policy**

**Holy Trinity C of E Infant School, Lowe's Wong Infants School, The Minster School & Lowe's Wong Anglican Methodist Junior School**











**Reviewed June 2023**











	EYFS	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
Addition	<p>Combining two parts to make a whole: part whole model.</p> <p>Starting at the bigger number and counting on- using cubes.</p> <p>Regrouping to make 10 using ten frame.</p>	Adding 1 and a two digit number	<p>Adding three single digits.</p> <p>Use of base 10 to combine two numbers.</p>	<p>Column method- regrouping.</p> <p>Using place value counters (up to 3 digits).</p>	<p>Column method- regrouping.</p> <p>(up to 4 digits)</p>	<p>Column method- regrouping.</p> <p>Use of place value counters for adding decimals.</p>	<p>Column method- regrouping.</p> <p>Abstract methods.</p> <p>Place value counters to be used for adding decimal numbers.</p>
Subtraction	<p>Taking away ones</p> <p>Counting back</p> <p>Find the difference</p> <p>Part whole model</p> <p>Make 10 using the ten frame</p>		<p>Counting back</p> <p>Find the difference</p> <p>Part whole model</p> <p>Make 10</p> <p>Use of base 10</p>	<p>Column method with regrouping.</p> <p>Using place value counters (up to 3 digits).</p>	<p>Column method with regrouping.</p> <p>(up to 4 digits)</p>	<p>Column method with regrouping.</p> <p>Abstract for whole numbers.</p> <p>Start with place value counters for decimals- with the same amount of decimal places.</p>	<p>Column method with regrouping.</p> <p>Abstract methods.</p> <p>Place value counters for decimals- with different annumbers decimal places.</p>
Multiplication	<p>Recognising and making equal groups.</p> <p>Doubling</p> <p>Counting in multiples</p> <p>Use cubes, Numicon and other objects in the classroom</p>		<p>Arrays- showing commutative multiplication</p>	<p>Arrays</p> <p>2d x 1d using base 10</p>	<p>Column multiplication- introduced with place value counters.</p> <p>(2 and 3 digit multiplied by 1 digit)</p>	<p>Column multiplication</p> <p>Abstract only but might need a repeat of year 4 first(up to 4 digit numbers multiplied by 1 or 2 digits)</p>	<p>Column multiplication</p> <p>Abstract methods (multi-digit up to 4 digits by a 2 digit number)</p>
Division	<p>Sharing objects into groups</p> <p>Division as grouping e.g. I have 12 sweets and put them in groups of 3, how many groups?</p> <p>Use cubes and draw round 3 cubes at a time.</p>		<p>Division as grouping</p> <p>Division within arrays- linking to multiplication</p> <p>Repeated subtraction</p>	<p>Division with a remainder-using lollipop sticks, times tables facts and repeated subtraction.</p> <p>2d divided by 1d using base 10 or place value counters</p>	<p>Division with a remainder</p> <p>Short division (up to 3 digits by 1 digit- concrete and pictorial)</p>	<p>Short division</p> <p>(up to 4 digits by a 1 digit number including remainders)</p>	<p>Short division</p> <p>Long division with place value counters (up to 4 digits by a 2 digit number)</p> <p>Children should exchange into the tenths and hundredths column too</p>



# Calculation Policy: Addition



Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to' 'is the same as'.

	Concrete	Pictorial	Abstract
Introduced in FS	<p><b>Combining two parts to make a whole (aggregation):</b>  <i>use other resources too e.g. eggs, shells, teddy bears, cars</i></p>  <p><b>Counting on to add (augmentation):</b></p> 	<p>Children to represent the cubes using dots or crosses. They could put each part on a part whole model too.</p> 	<p><math>4 + 3 = 7</math></p> <p>Four is a part, 3 is a part and the whole is seven</p>  <p><math>3 + 4 = 7</math></p>
Year	<p><b>Counting on using number lines</b> using cubes or Numicon.</p>  	<p>A bar model which encourages the children to count on, rather than count all.</p> 	<p>The abstract number line:</p> <p>What is 2 more than 4?</p> <p>What is the sum of 2 and 4?</p> <p>What is the total of 4 and 2? <math>4 + 2</math></p> 

Year	<p><b>Regrouping to make 10;</b> using ten frames and counters/cubes or using Numicon.</p> <p><math>6 + 5</math></p> 	<p>Children to draw the ten frame and counters/cubes.</p> 	<p>Children to develop an understanding of equality e.g.</p> $6 + \square = 11$ $6 + 5 = 5 + \square$ $6 + 5 = \square + 4$
Year	<p><b>TO + O using base 10.</b> Continue to develop understanding of partitioning and place value.</p> <p><math>41 + 8</math></p> 	<p>Children to represent the base 10 e.g. lines for tens and dot/crosses for ones.</p> 	<p><math>41 + 8</math></p>  <p><math>1 + 8 = 9</math> <math>40 + 9 = 49</math></p> 
Year	<p><b>TO + TO using base 10.</b> Continue to develop understanding of partitioning and place value.</p> <p><math>36 + 25</math></p> 	<p>Children to represent the base 10 in a place value chart.</p> 	<p>Looking for ways to make 10.</p> <p><math>36 + 25 =</math></p>  <p><math>30 + 20 = 50</math> <math>5 + 5 = 10</math> <math>50 + 10 + 1 = 61</math></p> <p>Formal method:</p> 

# Conceptual variation; different ways to ask children to solve $21 + 34$

**Use of place value counters to add HTO + TO, HTO + HTO etc.** When there are 10 ones in the 1s column - we exchange for 1 ten, when there are 10 tens in the 10s column - we exchange for 1 hundred.



?	
21	34

Word problems:

In year 3, there are 21 children and in year 4, there are 34 children.

How many children in total?

$$21 + 34 = 55.$$


Prove it

$$\begin{array}{r} 21 \\ +34 \\ \hline \end{array}$$

$$21 + 34 =$$

$$= 21 + 34$$

Calculate the sum of twenty-one and thirty-four.










Missing digit problems:









10s	1s
20	1
30	?
?	5

# Calculation Policy: Subtraction







Key language: take away, less than, the difference, subtract, minus, fewer, decrease.

	Concrete	Pictorial	Abstract
Introduced in FS	<p><b>Physically taking away and removing objects from a whole</b> (ten frames, Numicon, cubes and other items such as beanbags could be used).</p> <p><math>4 - 3 = 1</math></p> 	<p>Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.</p> 	<p><math>4 - 3 =</math></p> <p></p> 
Year	<p><b>Counting back</b> (using number lines or number tracks) children start with 6 and count back 2.</p> <p><math>6 - 2 = 4</math></p> 	<p>Children to represent what they see pictorially e.g.</p> 	<p>Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line.</p> 





Year	<p><b>Finding the difference</b> (using cubes, Numicon or Cuisenaire rods, other objects can also be used).</p> <p>Calculate the difference between 8 and 5.</p> 	<p>Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate.</p> 	<p><b>Find the difference between 8 and 5.</b></p> <p><math>8 - 5</math>, the difference is <input type="text"/></p> <p>Children to explore why <math>9 - 6 = 8 - 5 = 7 - 4</math> have the same difference.</p>
Year	<p><b>Making 10 using ten frames.</b></p> <p><math>14 - 5</math></p> 	<p>Children to present the ten frame pictorially and discuss what they did to make 10.</p> 	<p>Children to show how they can make 10 by partitioning the subtrahend.</p> <p><math>14 - 5 = 9</math></p>  <p><math>14 - 4 = 10</math>  <math>10 - 1 = 9</math></p>
Year	<p><b>Column method using base 10.</b></p> <p><math>48 - 7</math></p> 	<p>Children to represent the base 10 pictorially.</p> 	<p>Column method or children could count back 7.</p> 











Year	<p><b>Column method using base 10 and having to exchange.</b> 41 – 26</p> 	<p>Represent the base 10 pictorially, remembering to show the exchange.</p> 	<p>Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because <math>41 = 30 + 11</math>.</p> 
Year	<p><b>Column method using place value counters.</b> 234 – 88</p> 	<p>Represent the place value counters pictorially; remembering to show what has been exchanged.</p> 	<p>Formal column method. Children must understand what has happened when they have crossed out digits.</p> 







## Conceptual variation; different ways to ask children to solve 21 + 34



Year	 <table border="1" data-bbox="219 1257 649 1351"><tr><td colspan="2">391</td></tr><tr><td>186</td><td>?</td></tr></table>	391		186	?	<p>Raj spent £391, Timmy spent £186. How much more did Raj spend?</p> <p>Calculate the difference between 391 and 186.</p>	<div><div></div><div>= 391 – 186</div></div> <div><div>391</div><div>-186</div><div>—</div></div> <p>What is 186 less than 391?</p>	<p>Missing digit calculations</p> 
	391							
186	?							


# Calculation Policy: Multiplication

Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.



	Concrete	Pictorial	Abstract
Introduced in FS	<p><b>Repeated grouping/repeated addition</b> <math>3 \times 4</math>  <math>4 + 4 + 4</math>            There are 3 equal groups, with 4 in each group.</p>  	<p>Children to represent the practical resources in a picture and use a bar model.</p> 	<p><math>3 \times 4 = 12</math>  <math>4 + 4 + 4 = 12</math></p>
Year	<p><b>Number lines to show repeated groups</b>  <math>3 \times 4</math></p>    <p>Cuisenaire rods can be used too.</p>	<p>Represent this pictorially alongside a number line e.g.:</p> 	<p>Abstract number line showing three jumps of four.</p> <p><math>3 \times 4 = 12</math></p> 

Year	<p><b>Use arrays to illustrate commutativity</b> counters and other objects can also be used. <math>2 \times 5 = 5 \times 2</math></p>  <p>2 lots of 5      5 lots of 2</p>	<p>Children to represent the arrays pictorially.</p> 	<p>Children to be able to use an array to write a range of calculations e.g.</p> <p> <math>10 = 2 \times 5</math>  <math>5 \times 2 = 10</math>  <math>2 + 2 + 2 + 2 + 2 = 10</math>  <math>10 = 5 + 5</math> </p>
Year	<p><b>Partition to multiply</b> using Numicon, base 10 or Cuisenaire rods. <math>4 \times 15</math></p> 	<p>Children to represent the concrete manipulatives pictorially.</p> 	<p>Children to be encouraged to show the steps they have taken.</p> <p> <math>4 \times 15</math>  <math>\swarrow \searrow</math>  10   5 </p> <p> <math>10 \times 4 = 40</math>  <math>5 \times 4 = 20</math>  <math>40 + 20 = 60</math> </p> <p>A number line can also be used.</p>
Year	<p><b>Formal column method</b> with place value counters (base 10 can also be used.) <math>3 \times 23</math></p> 	<p>Children to represent the counters pictorially.</p> 	<p>Children to record what it is they are doing to show understanding.</p> <p> <math>3 \times 23</math>      <math>3 \times 20 = 60</math>                    <math>3 \times 3 = 9</math>  20   3      <math>60 + 9 = 69</math> </p> <p>                   23                <math>\times 3</math>                <u>69</u> </p>

Year	<p><b>Formal column method</b> with place value counters.</p> <p><math>6 \times 23</math></p> 	<p>Children to represent the counters/base 10, pictorially e.g. the image below.</p> 	<p>Formal written method</p> $  \begin{array}{r}  6 \times 23 = \\  23 \\  \times 6 \\  \hline  138 \\  \hline  1 \quad 1  \end{array}  $
------	---	---	---









<p>When children start to multiply <math>3d \times 3d</math> and <math>4d \times 2d</math> etc., they should be confident with the abstract:</p> <p>To get 744 children have solved <math>6 \times 124</math>. To get 2480 they have solved <math>20 \times 124</math>.</p>	 <p>Answer: 3224</p>
---	---







## Conceptual variation; different ways to ask children to solve $6 \times 23$

 <p>?</p> 	<p>Mai had to swim 23 lengths, 6 times a week. How many lengths did she swim in one week?</p> <p>With the counters, prove that <math>6 \times 23 = 138</math></p>	<p>Find the product of 6 and 23</p> <p><math>6 \times 23 =</math></p> <p><input type="text"/> = <math>6 \times 23</math></p> $  \begin{array}{r}  6 \quad 23 \\  \times 23 \quad \times 6 \\  \hline  \quad \quad \quad  \end{array}  $	<p>What is the calculation? What is the product?</p>
---	---	---	--





# Calculation Policy: Division

Key language: share, group, divide, divided by, half

	Concrete	Pictorial	Abstract
Introduced in FS	<p><b>Sharing</b> using a range of objects.  <math>6 \div 2</math></p> 	<p>Represent the sharing pictorially.</p> 	<p><math>6 \div 2 = 3</math></p>  <p>Children should also be encouraged to use their 2 times tables facts.</p>
Year	<p><b>Grouping</b> using a range of objects.</p> 		<p><math>12 \div 3 = 4</math></p>
Year	<p><b>Repeated subtraction</b> using Cuisenaire rods above a ruler.  <math>6 \div 2</math></p> 	<p>Children to represent repeated subtraction pictorially.</p> 	<p>Abstract number line to represent the equal groups that have been subtracted.</p> 




Year	<p><b>2d ÷ 1d with remainders</b> using lollipop sticks. Cuisenaire rods, above a ruler can also be used.</p> <p><math>13 \div 4</math></p> <p>Use of lollipop sticks to form wholes - squares are made because we are dividing by 4.</p>  <p>There are 3 whole squares, with 1 left over.</p> <p>Use of Cuisenaire rods and rulers (using repeated subtraction)</p> 	<p>Children to represent the lollipop sticks pictorially.</p>  <p>There are 3 whole squares, with 1 left over.</p>	<p><math>13 \div 4 = 3 \text{ remainder } 1</math></p> <p>Children should be encouraged to use their times table facts; they could also represent repeated addition on a number line.</p> <p>'3 groups of 4, with 1 left over'</p> 
Year	<p><b>2d divided by 1d</b> using base 10 (no remainders)</p> <p>SHARING</p> <p><math>48 \div 4 = 12</math></p>  <p>Start with the tens.</p>	<p>Children to represent the base 10 and sharing pictorially.</p>	<p><math>48 \div 4</math></p>  <p> <math>4 \text{ tens} \div 4 = 1 \text{ ten}</math>  <math>8 \text{ ones} \div 4 = 2 \text{ ones}</math>  <math>10 + 2 = 12</math> </p>






Year	<p><b>Sharing</b> using place value counters (regrouping)</p> 	<p>Children to represent the place value counters pictorially.</p> 	<p>Children to be able to make sense of the place value counters and write calculations to show the process.</p> $42 \div 3$ $42 = 30 + 12$ $30 \div 3 = 10$ $12 \div 3 = 4$ $10 + 4 = 14$
Year	<p><b>Short division</b> using place value counters to group.  <math>615 \div 5</math></p>  <ol style="list-style-type: none"> <li>1. Make 615 with place value counters.</li> <li>2. How many groups of 5 hundreds can you make with 6 hundred counters?</li> <li>3. Exchange 1 hundred for 10 tens.</li> <li>4. How many groups of 5 tens can you make with 11 ten counters?</li> <li>5. Exchange 1 ten for 10 ones.</li> <li>6. How many groups of 5 ones can you make with 15 ones?</li> </ol>	<p>Represent the place value counters pictorially.</p> 	<p>Children to the calculation using the short division scaffold.</p> $  \begin{array}{r}  123 \\  5 \overline{) 615} \\  \underline{5 \phantom{00}} \\  11 \phantom{0} \\  \underline{10 \phantom{0}} \\  15 \\  \underline{15} \\  0  \end{array}  $



**Long division** using place value counters  $2544 \div 12$




1000s	100s	10s	1s
			

We can't group 2 thousands into groups of 12 so will exchange them.

1000s	100s	10s	1s
			




We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

$$\begin{array}{r} 02 \\ 12 \overline{) 2544} \\ \underline{24} \\ 1 \end{array}$$

1000s	100s	10s	1s
			

After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

$$\begin{array}{r} 021 \\ 12 \overline{) 2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 2 \end{array}$$

1000s	100s	10s	1s
			

After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 groups of 12, which leaves no remainder.

$$\begin{array}{r} 0212 \\ 12 \overline{) 2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 24 \\ \underline{24} \\ 0 \end{array}$$

## Conceptual variation; different ways to ask children to solve $615 \div 5$

Using the part whole model below, how can you divide 615 by 5 without using short division?

I have £615 and share it equally between 5 bank accounts.  
How much will be in each account?

615 pupils need to be put into 5 groups.  
How many will be in each group?

$$5 \overline{)615}$$

$$615 \div 5 =$$

$$= 615 \div 5$$

What is the calculation?  
What is the answer?

